

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 1A (AFV)

Low Response

ENGINE (3):

E47LPF 4X4, E335LPF, E338LPF 4X

CREWS (1):

CRW3LPF

OVERHEAD (1):

DIV3LPF

Moderate Response

High Response

2nd Alarm

MA Response w/ FS DPA

4th Alarm

-AFV DPA

-SAN ANTONIO CREEK Waterpoint - Pond environment concern - Life or Structures threatened only, HOGE, 100', N 34° 46.309' x W 120° 34.356'

-LPF will auto. assign the FS Air Tact. A/G and VHF freqs. to AFV fires once we commit any aircraft.

-Order Task Force Leader (May be closest Red Carded Patrol) to accompany LPF resources

-The LPF Chief Officer can request use of the FS Command Frequency if coordinated with AFV.

-When a LPF T2 Team is activated, LPF will auto. assign FN or SN as the Cmnd Net and advise AFV disp.

-Once T2 Team is in place all ordering will be with LPCC expanded or IA direct from team.

-Auto order w/T2 team F3/F4 Repeater w/oper. from CD. 172.350(tx) 170.475(rx) tone 151.4

-LPF will except and process any AFV resource order request utilizing our federal ordering process.

-If AFV Requests a Mutual Aid Response, mobilize a Task Force Leader.

-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.

-The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 1B (AFV)

Low Response

ENGINE (3):

E47LPF 4X4, E335LPF, E338LPF 4X

CREWS (1):

CRW3LPF

OVERHEAD (1):

DIV3LPF

Moderate Response

High Response

2nd Alarm

MA Response w/ FS DPA

4th Alarm

-AFV DPA

-WALL BEACH Type I Helispot with windsock - Medevac site just off rd, could use traffic control, HIGE, 40', N 34° 42.307' x W 120° 35.965

-LPF will auto. assign the FS Air Tact. A/G and VHF freqs. to AFV fires once we commit any aircraft.

-The LPF Chief Officer can request use of the FS Command Frequency if coordinated with AFV.

-Order Task Force Leader (May be closest Red Carded Patrol) to accompany LPF resources

-When a LPF T2 Team is activated, LPF will auto. assign FN or SN as the Cmd Net and advise AFV disp.

-Once T2 Team is in place all ordering will be with LPCC expanded or IA direct from team.

-Auto order w/T2 team F3/F4 Repeater w/oper. from CD. 172.350(tx) 170.475(rx) tone 151.4

-LPF will except and process any AFV resource order request utilizing our federal ordering process.

-If AFV Requests a Mutual Aid Response, mobilize a Task Force Leader.

-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.

-The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 2 (AFV)

Low Response

ENGINE (3):

E47LPF 4X4, E335LPF, E338LPF 4X

CREWS (1):

CRW3LPF

OVERHEAD (1):

DIV3LPF

Moderate Response

High Response

2nd Alarm

MA Response w/ FS DPA

4th Alarm

- AFV DPA
- Order Task Force Leader (May be closest Red Carded Patrol) to accompany LPF resources
- LPF will auto. assign the FS Air Tact. A/G and VHF freqs. to AFV fires once we commit any aircraft.
- The LPF Chief Officer can request use of the FS Command Frequency if coordinated with AFV.
- When a LPF T2 Team is activated, LPF will auto. assign FN or SN as the Cmnd Net and advise AFV disp.
- Once T2 Team is in place all ordering will be with LPCC expanded or IA direct from team.
- Auto order w/T2 team F3/F4 Repeater w/oper. from CD. 172.350(tx) 170.475(rx) tone 151.4
- LPF will except and process any AFV resource order request utilizing our federal ordering process.
- If AFV Requests a Mutual Aid Response, mobilize a Task Force Leader.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.
- The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 3A (AFV)

Low Response

ENGINE (3):	E47LPF 4X4, E335LPF, E338LPF 4X
CREWS (1):	CRW3LPF
OVERHEAD (1):	DIV3LPF

Moderate Response

High Response

2nd Alarm

MA Response w/ FS DPA

4th Alarm

- AFV DPA
- ASTRAL Type II Helispot road accessible, Hydrant- waterpoint - HIGE - 100', N 34° 49.386' x W 120° 33.567'
- BLUFF - Tender access, HIGE - 50', N 34° 51.950' x W 120° 36.866'
- GLOBE Rd -Type I Helispot, road accessible- pressure fill 500' hose, HIGE, N 34° 51.376' x W 120° 34.563'
- LF-08 Type I Helispot - Paved, HIGE, N 34° 52.485' x W 120° 38.064'
- LIONS HEAD - 400', N 34° 52.167' x W 120° 36.986'
- MOSES RIDGE Type I Helispot - access Point Sal Rd, HIGE, N 34° 52.133' x W 120° 34.584'
- N FIRE BREAK RIDGE Type I Helispot - Multi-Helos, HIGE, N 34° 53.395' x W 120° 36.035'
- POINT SAL GATE Type II Helispot - need 800 key, HIGE, N 34° 53.290' x W 120° 38.119'
- RATTLE SNAKE RIDGE Type I Helispot - Multi-Helo, HIGE, N 34° 51.073' x W 120° 33.581'
- SURF DEPOT Type I Helispot - Medevac site for Train or Surf Beach - Road needs traffic control, HIGE, 47', N 34° 40.948' x W 120° 36.292'
- TOWER Type I Helispot, Waterpoint, Tender accessible, HIGE, 50', N 34° 51.002' x W 120° 35.928'
- LPF will auto. assign the FS Air Tact. A/G and VHF freqs. to AFV fires once we commit any aircraft.
- The LPF Chief Officer can request use of the FS Command Frequency if coordinated with AFV.
- Order Task Force Leader (May be closest Red Carded Patrol) to accompany LPF resources
- When a LPF T2 Team is activated, LPF will auto. assign FN or SN as the Cmnd Net and advise AFV disp.
- Once T2 Team is in place all ordering will be with LPCC expanded or IA direct from team.
- Auto order w/T2 team F3/F4 Repeater w/oper. from CD. 172.350(tx) 170.475(rx) tone 151.4
- LPF will except and process any AFV resource order request utilizing our federal ordering process.
- If AFV Requests a Mutual Aid Response, mobilize a Task Force Leader.
- Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.

-The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 3B (AFV)

Low Response

ENGINE (3):

E47LPF 4X4, E335LPF, E338LPF 4X

CREWS (1):

CRW3LPF

OVERHEAD (1):

DIV3LPF

Moderate Response

High Response

2nd Alarm

MA Response w/ FS DPA

4th Alarm

-AFV DPA

-KNOB - 450', N 34° 47.490' x W 120° 28.238'

-NORTH VALLEY - 550', N 34° 47.967' x W 120° 27.528'

-LPF will auto. assign the FS Air Tact. A/G and VHF freqs. to AFV fires once we commit any aircraft.

-The LPF Chief Officer can request use of the FS Command Frequency if coordinated with AFV.

-Order Task Force Leader (May be closest Red Carded Patrol) to accompany LPF resources

-When a LPF T2 Team is activated, LPF will auto. assign FN or SN as the Cmnd Net and advise AFV disp.

-Once T2 Team is in place all ordering will be with LPCC expanded or IA direct from team.

-Auto order w/T2 team F3/F4 Repeater w/oper. from CD. 172.350(tx) 170.475(rx) tone 151.4

-LPF will except and process any AFV resource order request utilizing our federal ordering process.

-If AFV Requests a Mutual Aid Response, mobilize a Task Force Leader.

-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.

-The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 4A (AFV)

Low Response

ENGINE (3):

E47LPF 4X4, E335LPF, E338LPF 4X

CREWS (1):

CRW3LPF

OVERHEAD (1):

DIV3LPF

Moderate Response

High Response

2nd Alarm

MA Response w/ FS DPA

4th Alarm

-AFV DPA

-SOUTH GATE AREA - Santa Ynez Ridge Rd, Type I Waterpoint - Tender accessible, HIGE, 173', N 34° 39.668' x W 120° 33.802'

-LPF will auto. assign the FS Air Tact. A/G and VHF freqs. to AFV fires once we commit any aircraft.

-The LPF Chief Officer can request use of the FS Command Frequency if coordinated with AFV.

-Major Transmission lines

-Order Task Force Leader (May be closest Red Carded Patrol) to accompany LPF resources

-When a LPF T2 Team is activated, LPF will auto. assign FN or SN as the Cmnd Net and advise AFV disp.

-Once T2 Team is in place all ordering will be with LPCC expanded or IA direct from team.

-Auto order w/T2 team F3/F4 Repeater w/oper. from CD. 172.350(tx) 170.475(rx) tone 151.4

-LPF will except and process any AFV resource order request utilizing our federal ordering process.

-If AFV Requests a Mutual Aid Response, mobilize a Task Force Leader.

-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.

-The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 4B (AFV)

Low Response

ENGINE (3):

E47LPF 4X4, E335LPF, E338LPF 4X

CREWS (1):

CRW3LPF

OVERHEAD (1):

DIV3LPF

Moderate Response

High Response

2nd Alarm

MA Response w/ FS DPA

4th Alarm

-AFV DPA

-BURGER Type II Helispot, HIGE, 30', N 34 ° 30.776' x W 120 ° 30.142'

-OAK MOUNTAIN - just off rd by corral, Type II Helispot, HIGE, 1600', N 34 ° 34.275 x W 120 ° 30.321'

-LPF will auto. assign the FS Air Tact. A/G and VHF freqs. to AFV fires once we commit any aircraft.

-The LPF Chief Officer can request use of the FS Command Frequency if coordinated with AFV.

-Order Task Force Leader (May be closest Red Carded Patrol) to accompany LPF resources

-Auto order w/T2 team F3/F4 Repeater w/oper. from CD. 172.350(tx) 170.475(rx) tone 151.4

-When a LPF T2 Team is activated, LPF will auto. assign FN or SN as the Cmnd Net and advise AFV disp.

-Once T2 Team is in place all ordering will be with LPCC expanded or IA direct from team.

-LPF will except and process any AFV resource order request utilizing our federal ordering process.

-If AFV Requests a Mutual Aid Response, mobilize a Task Force Leader.

-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.

-The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.

WildCAD Run Card

CA-LPF LOS PADRES COMMUNICATIONS CENTER (Fire Response)

Area 5 (AFV)

Low Response

ENGINE (3):

E47LPF 4X4, E335LPF, E338LPF 4X

CREWS (1):

CRW3LPF

OVERHEAD (1):

DIV3LPF

Moderate Response

High Response

2nd Alarm

MA Response w/ FS DPA

4th Alarm

-AFV DPA

-OCEAN PARK Type II Helispot - Medevac site for Ocean Park - lot needs traffic control, HIGE, 27', N 34° 41.438' x W 120° 36.003'

-SKY VIEW - Coast Rd to Destroyer Pt, Type II Helidpot - Dust abatement, HIGE. 135', N 34° 35.721' x W 120° 38.258'

-SLC 4 AREA - Surf Rd 1/2 mile NW of SLC 4, Type II Helispot Waterpoint - Need traffic control paved rd with powerlines, IGE, 100', N 34° 38.476 x W 120° 36.850'

-SLC 6 - Coast Rd and Pacific Ocean, Type I Waterpoint - Tender accessible, HIGE, 135', N 34° 35.041' x W 120° 38.178'

-TRANQUILLION PEAK Typell helispot, HIGE, 1599', N 34° 34.924' x W 120° 34.296'

-LPF will auto. assign the FS Air Tact. A/G and VHF freqs. to AFV fires once we commit any aircraft.

-The LPF Chief Officer can request use of the FS Command Frequency if coordinated with AFV.

-Order Task Force Leader (May be closest Red Carded Patrol) to accompany LPF resources

-Auto order w/T2 team F3/F4 Repeater w/oper. from CD. 172.350(tx) 170.475(rx) tone 151.4

-When a LPF T2 Team is activated, LPF will auto. assign FN or SN as the Cmnd Net and advise AFV disp.

-Once T2 Team is in place all ordering will be with LPCC expanded or IA direct from team.

-LPF will except and process any AFV resource order request utilizing our federal ordering process.

-If AFV Requests a Mutual Aid Response, mobilize a Task Force Leader.

-Prompt IC to determine if he/she needs logistical support or have they arranged for it already. If so, who is performing logistics for the incident.

-The resource dispatched has been determined to be a benefit to the using agency with the GAAC's approval taking into consideration mission requirements, days off and/or anticipated needs.